

**Safety Data Sheet**  
acc. to OSHA HCS

Printing Date 05/09/2014

Revision Number 1

Revision Date 05/09/2014

**1 Identification**

- **Product identifier**
- **Trade name:** 45190 (Hardman Kalex 15190 Part A)
- **Article number:** 45190
- **Relevant identified uses of the substance or mixture.** Adhesive
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Royal Adhesives And Sealants, LLC  
2001 W. Washington Street  
South Bend IN 46628-2023  
Information Phone Number: 574-246-5000
- **Information department:** Environment protection department.
- **Emergency telephone number:** ChemTrec: UNITED STATES 1(800)424-9300 INTERNATIONAL 703-527-3887

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07



GHS08

- **Signal word** Danger
- **Hazard statements**  
Causes skin irritation.  
Causes serious eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.  
May cause respiratory irritation.

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 05/09/2014

Revision Number 1

Revision Date 05/09/2014

**Trade name: 45190 (Hardman Kalex 15190 Part A)**

(Contd. of page 1)

· **Precautionary statements**

*If medical advice is needed, have product container or label at hand.*

*Keep out of reach of children.*

*Read label before use.*

*In case of inadequate ventilation wear respiratory protection.*

*Avoid breathing dust/fume/gas/mist/vapours/spray.*

*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*Specific treatment (see on this label).*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 1

Reactivity = 1

· **HMIS-ratings (scale 0 - 4)**

HEALTH	3
FIRE	1
PHYSICAL HAZARD	1

Health = 3

Fire = 1

Physical Hazard = 1

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous and Trade Secret addition(s).

· **Dangerous components:**

101-68-8	4,4'-methylenediphenyl diisocyanate	25-50%
----------	-------------------------------------	--------

### \* 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

*Remove to fresh air. If not breathing, administer artificial respiration. If breathing is difficult, oxygen should be administered by qualified personnel. Call a physician or transport to a medical facility.*

· **After skin contact:**

*Wipe excess from skin.*

*Immediately wash with water and soap and rinse thoroughly.*

*If skin becomes irritated seek medical attention.*

· **After eye contact:**

*Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.*

· **After swallowing:** Do not induce vomiting; immediately call for medical help.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 05/09/2014

Revision Number 1

Revision Date 05/09/2014

**Trade name: 45190 (Hardman Kalex 15190 Part A)**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Do not use direct water stream.
- **Advice for firefighters**
- **Protective equipment:** Protective clothing and respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Keep away from ignition sources
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Cover spilled material with neutralization solution (see below) and mix. Wait 15 minutes. Collect material in open-head metal containers. Repeat neutralization and cleaning process until surface is decontaminated. Apply drum lid but DO NOT secure. Allow containers to vent for 72 hours to let carbon dioxide escape.  
Ensure adequate ventilation.  
Dispose of contaminated material as waste in accordance with federal state and local regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Avoid prolonged or repeated contact with skin.  
Avoid contact with eyes.  
Wash thoroughly after handling.  
Prevent formation of aerosols.  
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**  
Product reacts with water. Reaction may produce heat and/or gases. Container may rupture from gas generation in a fire situation. This reaction may be violent.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Keep containers tightly closed when not in use. Protect from atmospheric moisture.
- **Information about storage in one common storage facility:** Keep away from open flames and high temperatures.
- **Further information about storage conditions:**  
Store in tightly closed containers to prevent moisture contamination. Do not reseal if contamination is suspected.  
Optimum storage temperature is 80F to 100F.

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 05/09/2014

Revision Number 1

Revision Date 05/09/2014

**Trade name: 45190 (Hardman Kalex 15190 Part A)**

(Contd. of page 3)

- Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### \* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

#### 101-68-8 4,4'-methylenediphenyl diisocyanate (25-50%)

PEL Ceiling limit value: 0.2 mg/m<sup>3</sup>, 0.02 ppm

REL Long-term value: 0.05 mg/m<sup>3</sup>, 0.005 ppm  
 Ceiling limit value: 0.2\* mg/m<sup>3</sup>, 0.02\* ppm  
 \*10-min

TLV Long-term value: 0.051 mg/m<sup>3</sup>, 0.005 ppm

- **Additional information:**  
 MDI products have poor warning properties, since recognition of an odor is far above the TLV. Observe OSHA regulations for respirator use (29 CFR 1910.134).

- **Exposure controls**
- **Personal protective equipment (see listings below)**
- **General protective and hygienic measures:**  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing.  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes and skin.

- **Breathing equipment:**  
 Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

Chloroprene rubber, CR  
 Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Eye protection:**

Safety glasses with side shields.



Tightly sealed goggles

- **Body protection:**

Protective work clothing  
 Apron

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 05/09/2014

Revision Number 1

Revision Date 05/09/2014

**Trade name: 45190 (Hardman Kalex 15190 Part A)**

(Contd. of page 4)

Emergency showers and eye wash stations should be available.

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Liquid
· <b>Color:</b>	Light yellow
· <b>Odor:</b>	Fruit-like

· **Change in condition**

· <b>Melting point:</b>	Undetermined.
· <b>Boiling point:</b>	Undetermined.

· **Flash point:** >94 °C (>201 °F)

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Flammable limits:**

· **Lower:** 0.4 Vol %

· **Vapor pressure at 20 °C (68 °F):** 0 hPa

· **Specific gravity at 20 °C (68 °F):** 1.11 g/cm<sup>3</sup> (9.263 lbs/gal)

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Solvent content:**

· **Organic solvents:** 0.0 %

· **Other information** No further relevant information available.

### 10 Stability and reactivity

· **Reactivity**

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:**

Contact with moisture, other materials that react with isocyanates, or temperatures above 350F (177C), may cause polymerization.

No decomposition if used according to specifications.

· **Possibility of hazardous reactions**

Violent reaction with water at high temperatures.

May produce violent reactions with bases and numerous organic substances including alcohols and amines.

MDI reacts slowly with water to form Carbon Dioxide gas. This gas can cause sealed containers to expand and possibly rupture. Contact with moisture, other materials that react with isocyanates, or temperatures above 350F, may cause polymerization.

· **Conditions to avoid** Moisture

· **Incompatible materials:**

Reacts with amines, caustic alkali solutions, alcohols, ammonia, oxidizers, acids, polyols.

Reacts with water forming carbon dioxide-may rupture sealed containers if contaminated with water.

May produce violent reactions with bases and numerous organic substances including alcohols and amines.

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 05/09/2014

Revision Number 1

Revision Date 05/09/2014

**Trade name: 45190 (Hardman Kalex 15190 Part A)**

(Contd. of page 5)

- **Hazardous decomposition products:**  
Carbon dioxide, carbon monoxide, oxides of nitrogen, dense black smoke, hydrogen cyanide, isocyanic acid, other undetermined compounds.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**101-68-8 4,4'-methylenediphenyl diisocyanate**

Oral	LD50	2200 mg/kg (mouse)
------	------	--------------------

- **Primary irritant effect:**
- **on the skin:** May irritate the skin.
- **on the eye:** May irritate the eye.
- **Sensitization:**  
Inhalation - Sensitization possible through inhalation.  
Skin Contact - Sensitization possible through skin contact.
- **Additional toxicological information:**  
May cause allergic respiratory reaction.

Animal tests have indicated that respiratory sensitization can result from skin contact with MDI. Use skin protection.

Preexisting eye, skin and respiratory disorders may be aggravated by exposure to this product.

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

101-68-8	4,4'-methylenediphenyl diisocyanate	3
----------	-------------------------------------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 05/09/2014

Revision Number 1

Revision Date 05/09/2014

**Trade name: 45190 (Hardman Kalex 15190 Part A)**

(Contd. of page 6)

· **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |  |
|--|--|
| · <b>UN-Number</b>   |  |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void   |
| · <b>UN proper shipping name</b>   |  |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void   |
| · <b>Transport hazard class(es)</b>  |  |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   |  |
| · <b>Class</b>   | Void   |
| · <b>Packing group</b>   |  |
| · <b>DOT, ADR, IMDG, IATA</b>  | Void   |
| · <b>Environmental hazards:</b>  | Not applicable.  |
| · <b>Special precautions for user</b>  | Not applicable.  |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.  |
| · <b>Transport/Additional information:</b>                                       | MDI (CAS 101-68-8) exhibits a CERCLA RQ equal to 5,000 pounds. Quantities less than the RQ amount are not regulated in transportation. |
| · <b>UN "Model Regulation":</b>  | -  |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

(Contd. on page 8)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 05/09/2014

Revision Number 1

Revision Date 05/09/2014

**Trade name: 45190 (Hardman Kalex 15190 Part A)**

(Contd. of page 7)

**· Proposition 65**
**· Chemicals known to cause cancer:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity:**

None of the ingredients is listed.

**· (DSL) Canada Domestic Substance List**

All components of this product are on the DSL (Canada Domestic Substance list) or are exempt from DSL requirements.

**· Cancerogenity categories**
**· EPA (Environmental Protection Agency)**

101-68-8	4,4'-methylenediphenyl diisocyanate	CBD
----------	-------------------------------------	-----

**· TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients listed.

**· MAK (German Maximum Workplace Concentration)**

101-68-8	4,4'-methylenediphenyl diisocyanate	4
----------	-------------------------------------	---

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**· National regulations:**

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

Although the information and recommendations set forth in this MSDS are presented in good faith and are believed to be correct as of the date of this MSDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the MSDS.

· **Department issuing MSDS:** Environment protection department.

· **Creation Date:** 09/21/2009

· **Date of preparation / last revision** 05/09/2014 / -

**· Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

(Contd. on page 9)

USA



**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing Date 05/09/2014

Revision Number 1

Revision Date 05/09/2014

**Trade name: 45190 (Hardman Kalex 15190 Part A)**

*Skin Sens. 1: Sensitisation - Skin, Hazard Category 1*

*STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3*

(Contd. of page 8)

USA

**Material Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing Date 05/30/2012

Revision Number 1

Reviewed on 05/30/2012

**1 Identification of the substance/mixture and of the company/undertaking**

- **Product identifier**
- **Trade name:** 56667 (Hardman Kalex 16667 Part B)
- **Article number:** 56667
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Royal Adhesives And Sealants, LLC  
2001 W. Washington Street  
South Bend IN 46628-2023
- **Information department:** Environment protection department.
- **Emergency telephone number:** ChemTrec: UNITED STATES 1(800)424-9300 INTERNATIONAL 703-527-3887

**2 Composition/information on ingredients**

- **Chemical characterization: Substances**
- **CAS No. Description**  
Trade Secret
- **Identification number(s)** N/A
- **Chemical characterization: Mixtures**
- **Description:** Polyols with Trade Secret and non-hazardous ingredients.

· **Dangerous components:**

1332-58-7	Kaolin	10-25%
	Amorphous Fumed Silica	≤2.5%
1333-86-4	Carbon black	≤2.5%

- **Additional information:** For the wording of the listed risk phrases refer to section 15.

**3 Hazards identification**

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.
- **Information concerning particular hazards for human and environment:**  
The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU/US" in the latest valid version.
- **Classification system:**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **Label elements**
- **Labelling according to EU guidelines:**  
Observe the general safety regulations when handling chemicals.  
The product is not subject to identification regulations according to directives on hazardous materials.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 1  
Reactivity = 0

(Contd. on page 2)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing Date 05/30/2012

Revision Number 1

Reviewed on 05/30/2012

Trade name: 56667 (Hardman Kalex 16667 Part B)

(Contd. of page 1)

## · HMIS-ratings (scale 0 - 4)

HEALTH	1	Health = 1
FIRE	1	Fire = 1
PHYSICAL HAZARD	0	Physical Hazard = 0

## \* 4 First aid measures

- **General information:** No special measures required.
- **After inhalation:**  
Remove to fresh air. If not breathing, administer artificial respiration. If breathing is difficult, oxygen should be administered by qualified personnel. Call a physician or transport to a medical facility.  
Overexposure, remove to fresh air and seek medical attention.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Seek medical treatment.

## \* 5 Firefighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.  
Use fire fighting measures that suit the environment.
- **Protective equipment:** Protective clothing and respiratory protective device.
- **Additional information** Cool endangered receptacles with water spray.

## \* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste in accordance with federal state and local regulations.
- **Reference to other sections**  
Wash contaminated area with soap and water to prevent slips.  
No dangerous substances are released.

## \* 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

USA

(Contd. on page 3)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing Date 05/30/2012

Revision Number 1

Reviewed on 05/30/2012

Trade name: 56667 (Hardman Kalex 16667 Part B)

(Contd. of page 2)

## 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data.

· **Components with limit values that require monitoring at the workplace:**

### 1332-58-7 Kaolin (10-25%)

PEL	15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL	10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV	2* mg/m <sup>3</sup> E; as respirable fraction

### 1333-86-4 Carbon black (≤0.5%)

PEL	3.5 mg/m <sup>3</sup>
REL	3.5* mg/m <sup>3</sup> *0.1 in presence of PAHs, as PAHs; 10-hr TWA
TLV	3* mg/m <sup>3</sup> *inhalable fraction

· **Additional information:**

This product contains Carbon Black which is not considered hazardous in a wet or encapsulated state. However, if a formula containing hazardous fillers is reduced to a respirable fraction by grinding or putting into an airborne powder, the powder is considered a hazardous material.

The lists that were valid during the creation were used as basis.

· **Personal protective equipment (see listings below)**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not required.

· **Protection of hands:**

· **Material of gloves**

Nitrile rubber, NBR

Chloroprene rubber, CR

· **Eye protection:** Safety glasses with side shields.

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **General Information**

· **Appearance:**

**Form:** Liquid

**Color:** Black

· **Odor:** Mild

· **Change in condition**

**Melting point:** Undetermined.

**Boiling point:** Undetermined.

· **Flash point:** > 168°C (> 334 °F)

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Specific gravity at 20°C (68 °F):** 1.46 g/cm<sup>3</sup> (12.184 lbs/gal)

(Contd. on page 4)

USA

# Material Safety Data Sheet

## acc. to ISO/DIS 11014

Printing Date 05/30/2012

Revision Number 1

Reviewed on 05/30/2012

**Trade name: 56667 (Hardman Kalex 16667 Part B)**

(Contd. of page 3)

- |  |   |
|--|---|
| <b>· Solubility in / Miscibility with Water:</b> | <i>Not miscible or difficult to mix.</i>          |
| <b>· Solvent content:</b>                        |   |
| <b>Organic solvents:</b>                         | <i>0.0 %</i>                                      |
| <b>· Other information</b>                       | <i>No further relevant information available.</i> |

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *Carbon monoxide and carbon dioxide*

### 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *May irritate the skin.*
- **on the eye:** *May irritate the eye.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**  
*The product is not subject to classification according to internally approved calculation methods for preparations.*  
*When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.*

### 12 Ecological information

- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Behavior in environmental systems:**
- **Bioaccumulative potential** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 1 (Self-assessment): slightly hazardous for water*  
*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Disposal must be made according Federal, State and local regulations.*  
*Smaller quantities can be disposed of with household waste.*  
*Disposal must be made according to official regulations.*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*

USA

(Contd. on page 5)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing Date 05/30/2012

Revision Number 1

Reviewed on 05/30/2012

Trade name: 56667 (Hardman Kalex 16667 Part B)

(Contd. of page 4)

## 14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT	
· Class	Void Non-Hazardous
· ADR, IMDG, IATA	
· Class	Void Not Regulated
· ADN/R Class:	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

## 15 Regulatory information

· Sara	
· Section 355 (extremely hazardous substances):	None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):	None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):	All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.
· Proposition 65	
· Chemicals known to cause cancer:	1333-86-4 Carbon black
· Chemicals known to cause reproductive toxicity:	None of the ingredients is listed.
· (DSL) Canada Domestic Substance List	All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	None of the ingredients is listed.

(Contd. on page 6)

USA

# Material Safety Data Sheet

## acc. to ISO/DIS 11014

Printing Date 05/30/2012

Revision Number 1

Reviewed on 05/30/2012

**Trade name: 56667 (Hardman Kalex 16667 Part B)**

(Contd. of page 5)

· <b>IARC (International Agency for Research on Cancer)</b>		
1333-86-4	Carbon black	2B
· <b>NTP (National Toxicology Program)</b>		
None of the ingredients is listed.		
· <b>TLV (Threshold Limit Value established by ACGIH)</b>		
1332-58-7	Kaolin	A4
1333-86-4	Carbon black	A4
· <b>MAK (German Maximum Workplace Concentration)</b>		
1333-86-4	Carbon black	3B
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
1333-86-4	Carbon black	
· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>		
None of the ingredients is listed.		

· **Product related hazard informations:**

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations according to directives on hazardous materials.

· **National regulations:**

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### 16 Other information

Although the information and recommendations set forth in this MSDS are presented in good faith and are believed to be correct as of the date of this MSDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the MSDS.

· **Department issuing MSDS:** Environment protection department.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

USA